



SEQUENCE LISTING

<110> CENTRE NATIONAL DE LA RECHERCHE SCIENTIFIQUE - CNRS
BEZIN Laurent Georges Bernard
MORALES Anne Catherine

<120> Method of calibration of reverse transcription using a
synthetic messenger RNA (smRNA)

<130> D21194

<150> EP 03/290 958

<151> 2003-04-17

<160> 18

<170> PatentIn version 3.2

<210> 1
<211> 161
<212> RNA
<213> Artificial

<220>

<223> Synthetic poly A mRNA #1

<400> 1

gggcgaauug ggcccgacgu cgggacaaga agguggaaga cgucaugcuc ccggccgcca 60
uggcggccgc gggaaauucga uuucuucgac ucacugcaga cuacugaugg aaugacguag 120
uacgaaauacu cgacuggucu caacaugaaa aaaaaaaaaa a 161

<210> 2

<211> 161

<212> RNA

<213> Artificial

<220>

<223> Synthetic poly A mRNA #2

<400> 2

uaauaacgacu cacuauaggg cgggacaaga agguggaaga cgucaugcuc ccggccgcca 60
uggcggccgc gggaaauucga uuucuucgac ucacugcaga cuacugaugg aaugacguag 120
uacgaaauacu cgacuggucu caacaugaaa aaaaaaaaaa a 161

<210> 3

<211> 161

<212> DNA

<213> Artificial

<220>

<223> Synthetic cDNA #1

<400> 3

gggcgaattg ggcccgacgt cgggacaaga aggtggaaga cgtcatgctc ccggccgcca 60
tggcggccgc gggattcga tttttcgac tcactgcaga ctactgatgg aatgacgtat 120
tacgaatact cgactggctt caacatgaaa aaaaaaaaaa a 161

```

<210> 4
<211> 161
<212> DNA
<213> Artificial

<220>
<223> Synthetic cDNA #2

<400> 4
taatacact cactataggg cgggacaaga aggtggaaga cgtcatgctc ccggccgcca      60
tggcgccgc gggattcga tttttcgac tcactgcaga ctactgatgg aatgacgtag
tacgaatact cgactggct caacatgaaa aaaaaaaaaa a                         120
                                                               161

<210> 5
<211> 19
<212> DNA
<213> Artificial

<220>
<223> Primer III forward

<400> 5
cgggacaaga aggtggaag                                         19

<210> 6
<211> 22
<212> DNA
<213> Artificial

<220>
<223> Primer III reverse

<400> 6
agtctgcagt gagtcgaaga aa                                         22

<210> 7
<211> 182
<212> DNA
<213> Artificial

<220>
<223> Sequence of the DNA probe "DNA $\Sigma$ "

<400> 7
taatacact cactataggg cgggacaaga aggtggaaga cgtcatgctc ccggccgcca      60
tggcgccgc gggattcga tttttcgac tcactgcaga ctactgatgg aatgacgtag
tacgaatact cgactggct caacatgaaa aaaaaaaaaa acgcattcaa cctgtctgac
ta                                                               120
                                                               180
                                                               182

<210> 8
<211> 20
<212> DNA
<213> Artificial

<220>
<223> Sequence of the T7 promoter

```

<400> 8		
taatacgact cactataggg		20
<210> 9		
<211> 27		
<212> DNA		
<213> Artificial		
<220>		
<223> 27 pb insert		
<400> 9		
cgggacaaga aggtggaaga cgtcatg		27
<210> 10		
<211> 34		
<212> DNA		
<213> Artificial		
<220>		
<223> 34 bp from pGEM®-T Easy sequence		
<400> 10		
ctcccgcccg ccatggccgc cgcggaaatt cgat		34
<210> 11		
<211> 101		
<212> DNA		
<213> Artificial		
<220>		
<223> 101 bp insert		
<400> 11		
ttcttcgact cactgcagac tactgatgga atgacgttgt acgaataactc gactggtctc		60
aacatgaaaa aaaaaaaaaa cgcattcaac ctgtctgact a		101
<210> 12		
<211> 39		
<212> DNA		
<213> Artificial		
<220>		
<223> Forward primer A containing the T7 promoter		
<400> 12		
taatacgact cactataggg cgggacaaga aggtggaag		39
<210> 13		
<211> 21		
<212> DNA		
<213> Artificial		
<220>		
<223> Reverse primer A		

```

<400> 13
tagtcagaca ggttgaatgc g 21

<210> 14
<211> 82
<212> DNA
<213> Artificial

<220>
<223> Amplified fragment from both synthetic cDNA #1 and cDNA #2 with
      primer pair III

<400> 14
cgggacaaga aggtggaaga cgtcatgctc ccggccgcca tggcggccgc gggaaattcga 6.0
tttcttcgac tcactgcaga ct 82

<210> 15
<211> 20
<212> DNA
<213> Artificial

<220>
<223> Pair I: primer forward

<400> 15
aattgggccc gacgtcgcat 20

<210> 16
<211> 20
<212> DNA
<213> Artificial

<220>
<223> Pair I: primer reverse

<400> 16
catgttgaga ccagtcgagt 20

<210> 17
<211> 19
<212> DNA
<213> Artificial

<220>
<223> Pair II: primer forward

<400> 17
cgggacaaga aggtggaag 19

<210> 18
<211> 20
<212> DNA
<213> Artificial

<220>
<223> Pair II: primer reverse

```

<400> 18
tcatgtttag accagtcgag

20